

CATALOGO MOTORI



SRL

CODICE: **KLMT1781-**

6810308



ROTAZIONE V.L.A.: Orario

Ø 180 X 307 mors 2

CARR.: **JUNGHEINRICH** JUNGHEI

MOTORE: **AMEISE**

TIPO: **P9,5-32**

ARM. V1: **22,5** A1:

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2143-**

6810106



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 220 X 291 mors 4

CARR.: **JUNGHEINRICH** ETV

MOTORE: **AMEISE**

TIPO: **F12-13**

ARM. V1: **21** A1: **110**

ECC.: **SERIE**

V2: A2:

KW: **1,8** HP

U./MIN: **900**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT2857-**

5088619



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 187 X 371 mors 3

CARR.: **JUNGHEINRICH** JUNGHEI

MOTORE: **API ELMO**

TIPO: **TSP112/4-195-12250**

ARM. V1: **3F- 55** A1: **160**

ECC.: **ASINCRONO Hz:83**

V2: A2:

KW: **10** HP

U./MIN: **2400**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT1614-**

11214106

0136402006



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 224 mors 3

CARR.: **JUNGHEINRICH** AMEISE (

MOTORE: **BOSCH**

TIPO: **AMK4305<=>S**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,5** HP

U./MIN: **1500**

APPLIC.: **Trazione** SERV: **S1**

CODICE: **KLMT1140-**

14183100

1517220537

5258024400

0136403005



ROTAZIONE V.L.A.: Orario

Ø 125 X 250 mors 2

CARR.: **JUNGHEINRICH** RE16

MOTORE: **BOSCH**

TIPO: **AMK5302=>F**

ARM. V1: **72** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,5** HP

U./MIN: **1800**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



SRL

CODICE: **KLMT1605-**

11214015

0136353011



ROTAZIONE V.L.A.: Orario

Ø 112 X 234 mors 2

CARR.: **JUNGHEINRICH** VARI

MOTORE: **BOSCH**

TIPO: **AMJ=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1056-**

28714460

19960309

1517220544

0136501059



ROTAZIONE V.L.A.: Orario

Ø 150 X 278 mors 2

CARR.: **JUNGHEINRICH** ETX150

MOTORE: **BOSCH**

TIPO: **AMP4635=>C**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT3658-**



ROTAZIONE V.L.A.: Antiorario

Ø 106 X 130 mors 2

CARR.: **JUNGHEINRICH** TRASPAL

MOTORE: **ECIA**

TIPO: **115703B**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento** SERV: **S3- 10%**

CODICE: **KLMT3411-**



ROTAZIONE V.L.A.:

Ø 257 X 380 mors 3

CARR.: **JUNGHEINRICH** EFG430A

MOTORE: **EWHOF**

TIPO: **DKO132-15K4/5918**

ARM. V1: **3F X 52** A1: **350**

ECC.: **ASINCRONO 83Hz**

V2: A2:

KW: **23,4** HP

U./MIN: **2355**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1976-**



ROTAZIONE V.L.A.: Orario

Ø 150 X 209 mors 2

CARR.: **JUNGHEINRICH** FG20-25

MOTORE: **EWOFF**

TIPO: **PGN1510/S802**

ARM. V1: **80** A1: **16,1**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,1** HP

U./MIN: **2000**

APPLIC.: **Servosterzo** SERV: **S3 - 60%**

CATALOGO MOTORI



SRL

CODICE: **KLMT3199-**

52005150

11213227new p



ROTAZIONE V.L.A.: Orario

Ø 132 X 306 mors 2

CARR.: **JUNGHEINRICH** JUNGHEI

MOTORE: **ISKRA**

TIPO: **AML6301**

ARM. V1: **80** A1:

ECC.: **BRUSHLESS**

V2: A2:

KW: **2,0** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S2-30'**

CODICE: **KLMT2215-**

11212628

1517220528

1517220529



ROTAZIONE V.L.A.: Orario

Ø 112 X 256 mors 2

CARR.: **JUNGHEINRICH** EJC12,5

MOTORE: **ISKRA**

TIPO: **AMJ5221=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT1639-**

50005729

1547220513



ROTAZIONE V.L.A.: Orario

Ø 125 X 237 mors 2

CARR.: **JUNGHEINRICH** BOSCH-

MOTORE: **ISKRA**

TIPO: **AMK5636=>R**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV: **S3-15%**

CODICE: **KLMT2424-**

11216205

E190008

E190020

1547220524



ROTAZIONE V.L.A.: Orario

Ø 114 X 173 mors 2

CARR.: **JUNGHEINRICH** EJD

MOTORE: **ISKRA**

TIPO: **AMJ5718=>R**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3-4%**

CODICE: **KLMT2700-**

114134B



ROTAZIONE V.L.A.: Antiorario

Ø 114 X 167 mors 2

CARR.: **JUNGHEINRICH** JUNG.

MOTORE: **ISKRA**

TIPO: **AMJ5729<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **3000**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2769-**

50061651

50040214

1002057

1012016



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 X 342 mors 3

CARR.: **JUNGHEINRICH** ETV214G

MOTORE: **JULI**

TIPO: **SG112M-4PE/3**

ARM. V1: **3F X 28** A1: **346**

ECC.: **ASINCRONO 60Hz**

V2: A2:

KW: **12** HP

U./MIN: **1660**

APPLIC.: **Sollevamento** SERV: **S3 15%**

CODICE: **KLMT3697-**

50039366



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 X 295 mors 3

CARR.: **JUNGHEINRICH** ETV

MOTORE: **JULI**

TIPO: **SG112M-4PD/2**

ARM. V1: **3F X 28** A1: **174**

ECC.: **ASINCRONO Hz:55**

V2: A2:

KW: **6** HP

U./MIN: **1535**

APPLIC.: **Sollevamento** SERV: **S**

CODICE: **KLMT1384-**

68176140



ROTAZIONE V.L.A.: Orario

Ø 220 X 343 mors 2

CARR.: **JUNGHEINRICH** ETV13,5

MOTORE: **JULI**

TIPO: **P13-01/68176140**

ARM. V1: **48** A1: **190**

ECC.: **SERIE**

V2: A2:

KW: **7,8** HP

U./MIN: **1680**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1870-**

68003970

1002100



ROTAZIONE V.L.A.: Orario

Ø 225 X 346 mors 2

CARR.: **JUNGHEINRICH** ETV14

MOTORE: **JULI**

TIPO: **P13-06**

ARM. V1: **48** A1: **330**

ECC.: **SERIE**

V2: A2:

KW: **11,5** HP

U./MIN: **1150**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT1374-**

68002730

19990520



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 205 mors 4

CARR.: **JUNGHEINRICH** ERE20

MOTORE: **JULI**

TIPO: **F9,5-54**

ARM. V1: **24** A1: **100**

ECC.: **SERIE**

V2: A2:

KW: **1,7** HP

U./MIN: **2100**

APPLIC.: **Trazione** SERV: **60MIN.**

CATALOGO MOTORI



SRL

CODICE: **KLMT1381-**

681052200



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 290 X 268 mors 4

CARR.: **JUNGHEINRICH AMEISE**

MOTORE: **JULI**

TIPO: **F18-1/6810522**

ARM. V1: **24** A1: **215**

ECC.: **SERIE**

V2: A2:

KW: **4** HP

U./MIN: **1750**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3095-**

50448722



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 165 X 183 mors 3

CARR.: **JUNGHEINRICH ERE120**

MOTORE: **JULI**

TIPO: **AF084-K1**

ARM. V1: **3F X 14** A1: **95**

ECC.: **ASINCRONO 120Hz**

V2: A2:

KW: **1,6** HP

U./MIN: **3370**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT1385-**

681766406

6817664

19990250



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 226 X 320 mors 4

CARR.: **JUNGHEINRICH ETV 13,5**

MOTORE: **JULI**

TIPO: **F13-02/6817664**

ARM. V1: **48** A1: **140**

ECC.: **SERIE**

V2: A2:

KW: **5,4** HP

U./MIN: **1670**

APPLIC.: **Trazione**

SERV: **S2=60MIN**

CODICE: **KLMT1375-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 X 320 mors 4

CARR.: **JUNGHEINRICH ETV14G**

MOTORE: **JULI**

TIPO: **F13-05/19960163**

ARM. V1: **48** A1: **140**

ECC.: **SERIE**

V2: A2:

KW: **5,4** HP

U./MIN: **1670**

APPLIC.: **Trazione**

SERV: **S2-60MIN.**

CODICE: **KLMT1921-**

50040512

5049301

52001780

"ELSE"



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 185 X 260 mors 2+2

CARR.: **JUNGHEINRICH EFG-DF1**

MOTORE: **JULI**

TIPO: **GF116-Q7**

ARM. V1: **48** A1: **104**

ECC.: **INDIPENDENTE**

V2: **15** A2: **13**

KW: **4** HP

U./MIN: **2000**

APPLIC.: **Trazione**

SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2680-**

68003920



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 225 X 320

mors 2+2

CARR.: **JUNGHEINRICH ETV14G**MOTORE: **JULI**TIPO: **F13-05**ARM. V1: **48**A1: **140**ECC.: **SEPARATA**V2: **13**A2: **10**KW: **5,4**

HP

U./MIN: **1670**APPLIC.: **Trazione**SERV: **S2-60MIN.**CODICE: **KLMT1377-**

6810094



ROTAZIONE V.L.A.: Orario

Ø 220 X 349

mors 2

CARR.: **JUNGHEINRICH JUNG**MOTORE: **JUNG.**TIPO: **P12-4**ARM. V1: **78**A1: **150**ECC.: **SERIE**

V2:

A2:

KW: **9,6**

HP

U./MIN: **2300**APPLIC.: **Sollevamento**SERV: **S3-20%**CODICE: **KLMT1687-**

68105650

19990200

68103650



ROTAZIONE V.L.A.: Orario

Ø 220 X 349

mors 2

CARR.: **JUNGHEINRICH JUNG**MOTORE: **JUNG.**TIPO: **P12-17**ARM. V1: **78**A1: **150**ECC.: **SERIE**

V2:

A2:

KW: **9,6**

HP

U./MIN: **2300**APPLIC.: **Sollevamento**SERV: **S3-20%**CODICE: **KLMT1916-**

6810101



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 250 X 310

mors 4

CARR.: **JUNGHEINRICH AMEISE**MOTORE: **JUNG.**TIPO: **F14-12**ARM. V1: **23,5**A1: **150**ECC.: **SERIE**

V2:

A2:

KW: **2,75**

HP

U./MIN: **1400**APPLIC.: **Trazione**SERV: **S2-60'**CODICE: **KLMT2691-**

6810711



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 132 X 189

mors 3

CARR.: **JUNGHEINRICH ETVA13,5**MOTORE: **JUNGHEINRICH**TIPO: **L7,5-2/6810711ABM**ARM. V1: **24**A1: **35**ECC.: **SERIE**

V2:

A2:

KW: **0,55**

HP

U./MIN: **2500**APPLIC.: **Servosterzo**SERV: **S3-20%**

CATALOGO MOTORI



SRL

CODICE: **KLMT1831-**

68107410

19990610AT



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 132 X 189 mors 3

CARR.: **JUNGHEINRICH** ETVA13,5

MOTORE: **JUNGHEINRICH**

TIPO: **L7,5-3/6810741**

ARM. V1: **48** A1: **17**

ECC.: **SERIE**

V2: A2:

KW: **0,55** HP

U./MIN: **2500**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2014-**

6810506



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 180 X 209 mors 4

CARR.: **JUNGHEINRICH** JC

MOTORE: **JUNGHEINRICH**

TIPO: **F9,5-30**

ARM. V1: **23,5-24** A1: **40**

ECC.: **SERIE**

V2: A2:

KW: **0,68** HP

U./MIN: **1340**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT2402-**

812-3000

0763255



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 175 X 210 mors 4

CARR.: **JUNGHEINRICH** ERE - EJ

MOTORE: **JUNGHEINRICH**

TIPO: **0763255SL**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:


KW: HP

U./MIN:

APPLIC.: **Trazione** SERV:

CODICE: **KLMT2924-**

05037953



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 270 X 420 mors 3

CARR.: **JUNGHEINRICH** EFG-VD3

MOTORE: **JUNGHEINRICH**

TIPO: **D160260R-4**

ARM. V1: **3F- 48** A1: **225**

ECC.: **ASINCRONO Hz:72**

V2: A2:

KW: **15,6** HP


U./MIN: **2100**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT3603-**

51108203

371954



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 320 X 410 mors 3

CARR.: **JUNGHEINRICH** PONTE C

MOTORE: **JUNGHEINRICH**

TIPO: **CE8.50**

ARM. V1: **3F x 54** A1: **250**

ECC.: **ASINCRONO Hz:**

V2: A2:

KW: **18** HP

U./MIN:

APPLIC.: **Trazione** SERV:

CATALOGO MOTORI



SRL

CODICE: **KLMT2903-**

0-52000-8110



ROTAZIONE V.L.A.: Orario

Ø 96 X 176 mors 2

CARR.: **JUNGHEINRICH** RETRATT

MOTORE: **NIKKO**

TIPO: **NSK1850-0039**

ARM. V1: 24 A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,300** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1648-**

520-396-500



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 170 X 295 mors 2+2

CARR.: **JUNGHEINRICH** JUNGHEI

MOTORE: **PRESTOLITE**

TIPO: **AN3-4001A**

ARM. V1: 24-36 A1:

ECC.: **SEPARATA**

V2: A2:

KW: **5,1** HP

U./MIN:

APPLIC.: **Trazione**

SERV: **1H**

CODICE: **KLMT1370-**

63188990

27634700*

50018532*

50023989**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 186 mors 3

CARR.: **JUNGHEINRICH** JUNG.

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-154/131-81/35**

ARM. V1: 48 A1: 12,6

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3-56%**

CODICE: **KLMT1499-**

27504400*



ROTAZIONE V.L.A.: Orario

Ø 150 X 275 mors 2

CARR.: **JUNGHEINRICH** JUNG.

MOTORE: **SCHABMULLER**

TIPO: **D150/2R-119/39**

ARM. V1: 80 A1: 33

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1300**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: **KLMT2381-**

013516

1405669*

8013518

50019890*



ROTAZIONE V.L.A.:

Ø 150 X 191 mors 2

CARR.: **JUNGHEINRICH** JUNGHEI

MOTORE: **SCHABMULLER**

TIPO: **P150/1-361/242-115**

ARM. V1: 80 A1: 16

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN: **2000**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2058-**

28707670

28707670

908-012-0017

9080120017



ROTAZIONE V.L.A.: Orario

Ø 125 X 270 mors 2

CARR.: **JUNGHEINRICH E25**

MOTORE: **SCHABMULLER**

TIPO: **D125/2R-7/7-..../05**

ARM. V1: **80** A1: **33,5**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2450**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT2950-**

00175051

50022503



ROTAZIONE V.L.A.: Orario

Ø 210 X 414 mors 2

CARR.: **JUNGHEINRICH ETX -K**

MOTORE: **SCHABMULLER**

TIPO: **R210/10RFK-396/265-16/10**

ARM. V1: **45** A1: **261**

ECC.: **SERIE**

V2: A2:

KW: **10** HP

U./MIN: **2830**

APPLIC.: **Sollevamento**

SERV: **S3-66%**

CODICE: **KLMT2573-**

50055515

50041442

00194201

50037614



ROTAZIONE V.L.A.: Orario

Ø 150 X 290 mors 2

CARR.: **JUNGHEINRICH ETX COM**

MOTORE: **SCHABMULLER**

TIPO: **D150/2,2RFK-897/826-..../01**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,2** HP

U./MIN: **1960**

APPLIC.: **Sollevamento**

SERV: **S1**

CODICE: **KLMT1330-**

50020560

00132885

907-017-0032

50020560*



ROTAZIONE V.L.A.: Orario

Ø 210 X 403 mors 2

CARR.: **JUNGHEINRICH ETX COM**

MOTORE: **SCHABMULLER**

TIPO: **R210/8RK-321/205-16/10**

ARM. V1: **48** A1: **210**

ECC.: **SERIE**

V2: A2:

KW: **8** HP

U./MIN: **2700**

APPLIC.: **Sollevamento**

SERV: **S3-22%**

CODICE: **KLMT2429-**

00175053

50025488



ROTAZIONE V.L.A.: Orario

Ø 210 X 450 mors 2

CARR.: **JUNGHEINRICH ETX -KOIII**

MOTORE: **SCHABMULLER**

TIPO: **R210/14RFK-414/263-22/10**

ARM. V1: **75** A1: **210**

ECC.: **SERIE**

V2: A2:

KW: **14** HP

U./MIN: **2920**

APPLIC.: **Sollevamento**

SERV: **S3-66%**

CATALOGO MOTORI



SRL

CODICE: **KLMT2678-**

838980457

85601105



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 80 X 183 mors 2

CARR.: **JUNGHEINRICH EMC10**

MOTORE: **SCHABMULLER**

TIPO: **P80/0,35-1/1**

ARM. V1: **24** A1: **18.3**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,350** HP

U./MIN: **3215**

APPLIC.: **Trazione**

SERV:

CODICE: **KLMT3860-**

401039



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 330 X 633 mors 3

CARR.: **JUNGHEINRICH EFG50**

MOTORE: **SCHABMULLER**

TIPO: **TSA300-200-203**

ARM. V1: **3F- 53** A1: **281**

ECC.: **ASINCRONO Hz:33**

V2: A2:

KW: **19,4** HP

U./MIN: **955**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3227-**



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 105 X 205 mors 2

CARR.: **JUNGHEINRICH FILOGUI**

MOTORE: **SSB ANTRIEBSTECHNIK**

TIPO: **GPG-012/20-0362.0512.40**

ARM. V1: **48** A1: **4,2**

ECC.: **M. PERMANENTE**

V2: A2:

KW: HP

U./MIN:

APPLIC.: **RULLERIA AGV**

SERV: **31 MIN'**